

LITTLE LEAGUE® BASEBALL & SOFTBALL **NATIONAL FACILITY SURVEY**

2017



League Name: North Andover Little League

District #: 14

ID #: 221-14-23

(if needed) ID #: _____

(if needed) ID #: _____

City: N Andover State: MA

President: Stephen Vetere

Safety Officer: Brendan Salach

Address: 18 Phillips Common

Address: 100 Bridle Path Road

City: North Andover

City: North Andover

State: MA ZIP: 01845

State: MA ZIP: 01845

Phone (work): _____

Phone (work): _____

Phone (home): 617-285-0640

Phone (home): 978-258-7665

Email: stephen.vetere@gmail.com

Email: bsalach1@gmail.com

PLANS FOR FUTURE NEEDS

What are league's plans for improvements?	Indicate number of fields in boxes below.		
	Next 12 mons.	1-2 yrs.	2+ yrs.
a. New fields	0	0	2
b. Basepath/infield	2	2	2
c. Bases	5	1	1
d. Scoreboards	2	0	0
e. Pressbox	0	0	0
f. Concession stand	1	0	0
g. Restrooms	1	0	0
h. Field lighting	0	0	1
i. Warning track	0	0	0
j. Bleachers	1	1	0
k. Fencing	4	2	0
l. Bull pens	0	0	0
m. Dugouts	2	2	2
n. Other (specify): Handicap	0	0	0

**Accessible
Bathro
ms**

FIELD DIMENSION DATA

Please complete for each field. Use additional space if necessary.

Field No.	Height of outfield fence	Distance from home plate to:				Foul territory distance from:					
		Outfield fence			Back stop	Left field line to fence at:			Right field line to fence at:		
		Left	Center	Right		Home	3rd	Outfield foul pole	Home	1st	Outfield foul pole
Aplin	4.00	193.00	234.00	168.00	23.00	23.00	23.00	19.00	23.00	23.00	19.00
Atkinson	0.00	0.00	0.00	0.00	20.00	20.00	0.00	0.00	20.00	0.00	0.00
CT1	4.00	201.00	203.00	201.00	23.00	23.00	24.00	10.00	23.00	22.00	10.00
CT2	4.00	203.00	203.00	203.00	20.00	21.00	23.00	7.00	19.00	20.00	7.00
CT3	4.00	170.00	192.00	176.00	20.00	19.00	19.00	0.00	19.00	20.00	35.00
Franklin 1	0.00	0.00	0.00	0.00	21.00	23.00	23.00	0.00	21.00	23.00	0.00
Franklin 2	0.00	0.00	0.00	0.00	25.00	25.00	25.00	0.00	25.00	25.00	0.00
Grogan	0.00	0.00	0.00	0.00	44.00	45.00	0.00	0.00	45.00	0.00	0.00
High School	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Lucent 1	0.00	0.00	0.00	0.00	20.00	20.00	0.00	0.00	20.00	0.00	0.00
Lucent 2	0.00	0.00	0.00	0.00	20.00	20.00	20.00	0.00	20.00	20.00	0.00
Lucent 3	0.00	0.00	0.00	0.00	20.00	20.00	21.00	0.00	20.00	21.00	0.00
Lucent 4	0.00	0.00	0.00	0.00	20.00	20.00	0.00	0.00	20.00	0.00	0.00
Middle School	0.00	0.00	0.00	0.00	49.00	50.00	0.00	0.00	50.00	0.00	0.00
Sharpners 1	4.00	193.00	194.00	193.00	19.00	19.00	19.00	3.00	19.00	19.00	3.00

Return completed survey with safety program registration and supporting materials by

Early Bird Date: March 10, 2017
Final Deadline Date: August 31, 2017

Mailing address:

Little League International
PO Box 3485
Williamsport, PA 17701-0485

Shipping address:

Little League International
539 US Route 15 Hwy
S. Williamsport, PA 17702

No.	Questions	Aplin	Atkinson	CT1	CT2	CT3	Franklin	1Franklin 2
1	How many cars can park in designated parking areas for this field?	None	1-50	1-50	1-50	1-50	1-50	1-50
2	How many people will your bleachers seat for this field?	None/NA	None/NA	1-100	1-100	None/NA	None/NA	None/NA
3.a.	Are the bleachers made of wood on this field?	No	No	No	No	No	No	No
3.b.	Are the bleachers made of metal on this field?	No	No	Yes	Yes	No	No	No
3.c.	Are bleachers for this field made of material other than wood or metal?	No	No	No	No	No	No	No
4	If bleachers are made of metal, is a ground wire attached to a ground rod?	No	No	No	No	No	No	No
5	If bleachers are made of wood, are they inspected annually for safety?	No	No	No	No	No	No	No
6	Is there a safety railing at the top/back of bleachers for this field?	No	No	Yes	Yes	No	No	No
7	Is there a handrail up the sides of bleachers for this field?	No	No	Yes	Yes	No	No	No
8.a.	Is permanent telephone service available for this field?	No	No	No	Yes	No	No	No
8.b.	Is cellular telephone service available for this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9.a.	Is a permanent public address system available for this field?	No	No	No	No	No	No	No
9.b.	Is a portable public address system available for this field?	No	No	No	No	No	No	No
10	Is there a pressbox for this field?	No	No	No	No	No	No	No
11	Is there a scoreboard for this field?	No	No	Yes	Yes	No	No	No
12	Are adequate bathroom facilities available for this field?	Yes	No	Yes	Yes	Yes	No	No
13	Are permanent concession stands available for this field?	No	No	Yes	Yes	Yes	No	No
14	Are mobile concession stands available for this field?	No	No	No	No	No	No	No
15	Is this field completely fenced?	No	No	Yes	Yes	No	No	No
16.a.	Is the fencing made of chainlink on this field?	Yes	No	Yes	Yes	Yes	Yes	Yes
16.b.	Is the fencing made of wood on this field?	No	No	No	No	No	No	No
16.c.	Is the fencing made of wire on this field?	No	No	No	No	No	No	No
17.a.	Is the basepath material on this field is sand, clay or soil mix?	Yes	Yes	Yes	Yes	No	Yes	Yes
17.b.	Is the basepath material on this field is ground burnt brick?	No	No	No	No	No	No	No
17.c	Is the basepath material on this field other than sand, clay, soil mix or ground...	No	No	No	No	Yes	No	No
17.d	If yes to other material, what is the basepath material on this field?					Grass		

No.	Questions	Aplin	Atkinson	CT1	CT2	CT3	Franklin	1Franklin	2
18.a.	Is non-caustic lime used to mark the baselines on this field?	Yes	No	Yes	Yes	Yes	No	No	
18.b.	Is spray paint used to mark the baselines on this field?	No	No	No	Yes	No	No	No	
18.c.	Is commerical marking used to mark the baselines on this field?	No	No	Yes	No	No	No	No	
19	Is the infield surface grass?	Yes	Yes	Yes	Yes	Yes	No	No	
20	Does this field have a conventional dirt pitching mound?	Yes	Yes	Yes	Yes	Yes	No	No	
21	Does this field have a temporary pitching mound?	No	No	No	No	No	No	No	
22	Are there foul poles on this field?	No	No	Yes	Yes	No	No	No	
23	Is there a backstop behind home plate on this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
24.a.	Is there an outfield warning track for this field?	No	No	No	No	No	No	No	
24.b.	If yes, what width is the warning track?	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
25	Is there a batter's eye (screen/covering) at center field on this field?	No	No	No	No	No	No	No	
26	Is there a pitcher's eye (screen/covering) behind home plate on this field?	Yes	No	Yes	Yes	Yes	No	No	
27	Does this field have protective fences in front of the dugouts?	Yes	No	Yes	Yes	Yes	Yes	Yes	
28	Is there a protected on-deck batter's area on this field?	No	No	No	No	No	No	No	
29	Are fenced limited access bull pens available for this field?	No	No	No	No	No	No	No	
30	Is a first aid kit provided for this field?	Yes	No	Yes	Yes	Yes	No	No	
31.a.	Do bleachers for this field have overhead screens for spectator foul ball protec...	No	No	No	No	No	No	No	
31.b.	Do bleachers for this field have fencing behind for spectator foul ball protecti...	No	No	No	No	No	No	No	
32	Do your bases disengage from their anchors? (Mandatory since 2008)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
33	Is this field lighted?	No	No	No	No	No	No	No	
34.a.	Are light levels at/above Little League standards?	No	No	No	No	No	No	No	
34.b.	Light levels on this field are not known?	No	No	No	No	No	No	No	
35.a.	Are there wood poles on this field?	No	No	No	No	No	No	No	
35.b.	Are there steel poles on this field?	No	No	No	No	No	No	No	
35.c.	Are there concrete poles on this field?	No	No	No	No	No	No	No	
36	Is the electrical wiring to each pole on this field is underground?	No	No	No	No	No	No	No	

No.	Questions	Aplin	Atkinson	CT1	CT2	CT3	Franklin	1Franklin	2
37	Are there ground wires connected to ground rods on each pole on this field?	No	No	No	No	No	No	No	
38.a.	Was the electrical system on this field tested/inspected in last two years?	No	No	No	No	No	No	No	
38.b.	What month/year was electrical system testing done on this field?								
38.c.	Were the light levels on this field tested/inspected in the last two years?	No	No	No	No	No	No	No	
38.d.	What month/year was the light level testing done on this field?								
39.a.	Was the electrical system on this field tested/inspected by a qualified technici...	No	No	No	No	No	No	No	
39.b.	Were the light levels on this field tested/inspected by a qualified technician?	No	No	No	No	No	No	No	
40.a.	Does field have limitation on amount of time for practice?	No	No	No	No	No	No	No	
40.b.	Does field have limitation on number of teams or games?	No	No	No	No	No	No	No	
40.c.	Does field have limitation on scheduling and/or timing?	No	No	No	No	No	No	No	
41.a.	Is this field owned by a municipality?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
41.b.	Is this field owned by a school?	No	No	No	No	No	No	No	
41.c.	Is this field owned by a league?	No	No	No	No	No	No	No	
42.a.	Municipality is responsible for operational energy costs on this field?	Yes	No	No	No	No	No	No	
42.b.	School is responsible for operational energy costs on this field?	No	No	No	No	No	No	No	
42.c.	League is responsible for operational energy costs on this field?	No	No	Yes	Yes	Yes	No	No	
43.a.	Municipality is responsible for operational maintenance on this field?	No	Yes	No	No	No	No	No	
43.b.	School is responsible for operational maintenance on this field?	No	No	No	No	No	No	No	
43.c.	League is responsible for operational maintenance on this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
44.a.	Municipality is responsible for improvements on this field?	No	Yes	No	No	No	No	Yes	
44.b.	School is responsible for improvements on this field?	No	No	No	No	No	Yes	No	
44.c.	League is responsible for improvements on this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
44.d.	Other group is responsible for improvements on this field?	No	No	No	No	No	No	No	
45.a.	Is T-ball and Minor League baseball played on this field?	No	Yes	Yes	Yes	Yes	Yes	Yes	
45.b.	Is Major division baseball played on this field?	Yes	No	Yes	Yes	No	No	No	
45.c.	Is Junior, Senior and Big League baseball played on this field?	No	No	No	No	No	No	No	

[illegible]

No.	Questions	Grogan	High School	Lucent 1	Lucent 2	Lucent 3	Lucent 4	Middle School
1	How many cars can park in designated parking areas for this field?	1-50	1-50	1-50	1-50	1-50	1-50	1-50
2	How many people will your bleachers seat for this field?	None/NA	1-100	None/NA	None/NA	None/NA	None/NA	1-100
3.a.	Are the bleachers made of wood on this field?	No	No	No	No	No	No	Yes
3.b.	Are the bleachers made of metal on this field?	No	Yes	No	No	No	No	No
3.c.	Are bleachers for this field made of material other than wood or metal?	No	No	No	No	No	No	No
4	If bleachers are made of metal, is a ground wire attached to a ground rod?	No	No	No	No	No	No	No
5	If bleachers are made of wood, are they inspected annually for safety?	No	No	No	No	No	No	Yes
6	Is there a safety railing at the top/back of bleachers for this field?	No	Yes	No	No	No	No	No
7	Is there a handrail up the sides of bleachers for this field?	No	Yes	No	No	No	No	No
8.a.	Is permanent telephone service available for this field?	No	No	No	No	No	No	No
8.b.	Is cellular telephone service available for this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9.a.	Is a permanent public address system available for this field?	No	No	No	No	No	No	No
9.b.	Is a portable public address system available for this field?	No	No	No	No	No	No	No
10	Is there a pressbox for this field?	No	No	No	No	No	No	No
11	Is there a scoreboard for this field?	No	No	No	No	No	No	No
12	Are adequate bathroom facilities available for this field?	Yes	No	No	No	No	No	No
13	Are permanent concession stands available for this field?	No	No	No	No	No	No	No
14	Are mobile concession stands available for this field?	No	No	No	No	No	No	No
15	Is this field completely fenced?	No	Yes	No	No	No	No	No
16.a.	Is the fencing made of chainlink on this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes
16.b.	Is the fencing made of wood on this field?	No	No	No	No	No	No	No
16.c.	Is the fencing made of wire on this field?	No	No	No	No	No	No	No
17.a.	Is the basepath material on this field is sand, clay or soil mix?	Yes	Yes	Yes	Yes	Yes	Yes	Yes
17.b.	Is the basepath material on this field is ground burnt brick?	No	No	No	No	No	No	No
17.c	Is the basepath material on this field other than sand, clay, soil mix or ground...	No	No	No	No	No	No	No
17.d	If yes to other material, what is the basepath material on this field?							

No.	Questions	Grogan	High School	Lucent 1	Lucent 2	Lucent 3	Lucent 4	Middle School
18.a.	Is non-caustic lime used to mark the baselines on this field?	Yes	Yes	No	No	Yes	Yes	Yes
18.b.	Is spray paint used to mark the baselines on this field?	No	No	No	No	No	No	No
18.c.	Is commerical marking used to mark the baselines on this field?	No	No	No	No	No	No	No
19	Is the infield surface grass?	Yes	Yes	Yes	Yes	No	No	Yes
20	Does this field have a conventional dirt pitching mound?	Yes	Yes	Yes	Yes	No	No	Yes
21	Does this field have a temporary pitching mound?	No	No	No	No	Yes	Yes	No
22	Are there foul poles on this field?	No	Yes	No	No	No	No	Yes
23	Is there a backstop behind home plate on this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes
24.a.	Is there an outfield warning track for this field?	No	No	No	No	No	No	No
24.b.	If yes, what width is the warning track?	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	Is there a batter's eye (screen/covering) at center field on this field?	No	No	No	No	No	No	No
26	Is there a pitcher's eye (screen/covering) behind home plate on this field?	No	Yes	No	No	No	No	No
27	Does this field have protective fences in front of the dugouts?	Yes	Yes	Yes	No	Yes	Yes	Yes
28	Is there a protected on-deck batter's area on this field?	No	No	No	No	No	No	No
29	Are fenced limited access bull pens available for this field?	No	Yes	No	No	No	No	Yes
30	Is a first aid kit provided for this field?	Yes	Yes	Yes	Yes	Yes	Yes	Yes
31.a.	Do bleachers for this field have overhead screens for spectator foul ball protec...	No	No	No	No	No	No	No
31.b.	Do bleachers for this field have fencing behind for spectator foul ball protecti...	No	No	No	No	No	No	No
32	Do your bases disengage from their anchors? (Mandatory since 2008)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
33	Is this field lighted?	No	No	No	No	No	No	No
34.a.	Are light levels at/above Little League standards?	No	No	No	No	No	No	No
34.b.	Light levels on this field are not known?	No	No	No	No	No	No	No
35.a.	Are there wood poles on this field?	No	No	No	No	No	No	No
35.b.	Are there steel poles on this field?	No	No	No	No	No	No	No
35.c.	Are there concrete poles on this field?	No	No	No	No	No	No	No
36	Is the electrical wiring to each pole on this field is underground?	No	No	No	No	No	No	No

No.	Questions	Grogan	High School	Lucent 1	Lucent 2	Lucent 3	Lucent 4	Middle School
37	Are there ground wires connected to ground rods on each pole on this field?	No	No	No	No	No	No	No
38.a.	Was the electrical system on this field tested/inspected in last two years?	No	No	No	No	No	No	No
38.b.	What month/year was electrical system testing done on this field?							
38.c.	Were the light levels on this field tested/inspected in the last two years?	No	No	No	No	No	No	No
38.d.	What month/year was the light level testing done on this field?							
39.a.	Was the electrical system on this field tested/inspected by a qualified technici...	No	No	No	No	No	No	No
39.b.	Were the light levels on this field tested/inspected by a qualified technician?	No	No	No	No	No	No	No
40.a.	Does field have limitation on amount of time for practice?	No	No	No	No	No	No	No
40.b.	Does field have limitation on number of teams or games?	No	No	No	No	No	No	No
40.c.	Does field have limitation on scheduling and/or timing?	No	No	No	No	No	No	No
41.a.	Is this field owned by a municipality?	Yes	Yes	No	No	No	No	Yes
41.b.	Is this field owned by a school?	No	Yes	No	No	No	No	Yes
41.c.	Is this field owned by a league?	No	No	No	No	No	No	No
42.a.	Municipality is responsible for operational energy costs on this field?	Yes	Yes	No	No	No	No	No
42.b.	School is responsible for operational energy costs on this field?	No	Yes	No	No	No	No	No
42.c.	League is responsible for operational energy costs on this field?	No	No	No	No	No	No	No
43.a.	Municipality is responsible for operational maintenance on this field?	No	Yes	No	No	No	No	Yes
43.b.	School is responsible for operational maintenance on this field?	No	Yes	No	No	No	No	Yes
43.c.	League is responsible for operational maintenance on this field?	Yes	No	Yes	Yes	Yes	Yes	Yes
44.a.	Municipality is responsible for improvements on this field?	No	Yes	No	No	No	No	Yes
44.b.	School is responsible for improvements on this field?	No	Yes	No	No	No	No	Yes
44.c.	League is responsible for improvements on this field?	Yes	No	Yes	Yes	Yes	Yes	Yes
44.d.	Other group is responsible for improvements on this field?	No	No	No	No	No	No	No
45.a.	Is T-ball and Minor League baseball played on this field?	No	No	No	Yes	Yes	Yes	No
45.b.	Is Major division baseball played on this field?	No	No	No	No	Yes	Yes	No
45.c.	Is Junior, Senior and Big League baseball played on this field?	Yes	Yes	No	No	No	No	Yes

[illegible]

No.	Questions	Sharpners 1						
1	How many cars can park in designated parking areas for this field?	1-50						
2	How many people will your bleachers seat for this field?	1-100						
3.a.	Are the bleachers made of wood on this field?	No						
3.b.	Are the bleachers made of metal on this field?	Yes						
3.c.	Are bleachers for this field made of material other than wood or metal?	No						
4	If bleachers are made of metal, is a ground wire attached to a ground rod?	No						
5	If bleachers are made of wood, are they inspected annually for safety?	No						
6	Is there a safety railing at the top/back of bleachers for this field?	Yes						
7	Is there a handrail up the sides of bleachers for this field?	Yes						
8.a.	Is permanent telephone service available for this field?	No						
8.b.	Is cellular telephone service available for this field?	Yes						
9.a.	Is a permanent public address system available for this field?	No						
9.b.	Is a portable public address system available for this field?	No						
10	Is there a pressbox for this field?	No						
11	Is there a scoreboard for this field?	No						
12	Are adequate bathroom facilities available for this field?	Yes						
13	Are permanent concession stands available for this field?	No						
14	Are mobile concession stands available for this field?	No						
15	Is this field completely fenced?	Yes						
16.a.	Is the fencing made of chainlink on this field?	Yes						
16.b.	Is the fencing made of wood on this field?	No						
16.c.	Is the fencing made of wire on this field?	No						
17.a.	Is the basepath material on this field is sand, clay or soil mix?	Yes						
17.b.	Is the basepath material on this field is ground burnt brick?	No						
17.c	Is the basepath material on this field other than sand, clay, soil mix or ground...	No						
17.d	If yes to other material, what is the basepath material on this field?							

No.	Questions	Sharpners 1						
18.a.	Is non-caustic lime used to mark the baselines on this field?	Yes						
18.b.	Is spray paint used to mark the baselines on this field?	No						
18.c.	Is commerical marking used to mark the baselines on this field?	No						
19	Is the infield surface grass?	Yes						
20	Does this field have a conventional dirt pitching mound?	Yes						
21	Does this field have a temporary pitching mound?	No						
22	Are there foul poles on this field?	Yes						
23	Is there a backstop behind home plate on this field?	Yes						
24.a.	Is there an outfield warning track for this field?	No						
24.b.	If yes, what width is the warning track?	0.00						
25	Is there a batter's eye (screen/covering) at center field on this field?	No						
26	Is there a pitcher's eye (screen/covering) behind home plate on this field?	Yes						
27	Does this field have protective fences in front of the dugouts?	Yes						
28	Is there a protected on-deck batter's area on this field?	No						
29	Are fenced limited access bull pens available for this field?	No						
30	Is a first aid kit provided for this field?	Yes						
31.a.	Do bleachers for this field have overhead screens for spectator foul ball protec...	No						
31.b.	Do bleachers for this field have fencing behind for spectator foul ball protecti...	No						
32	Do your bases disengage from their anchors? (Mandatory since 2008)	Yes						
33	Is this field lighted?	No						
34.a.	Are light levels at/above Little League standards?	No						
34.b.	Light levels on this field are not known?	No						
35.a.	Are there wood poles on this field?	No						
35.b.	Are there steel poles on this field?	No						
35.c.	Are there concrete poles on this field?	No						
36	Is the electrical wiring to each pole on this field is underground?	No						

No.	Questions	Sharpners 1						
37	Are there ground wires connected to ground rods on each pole on this field?	No						
38.a.	Was the electrical system on this field tested/inspected in last two years?	No						
38.b.	What month/year was electrical system testing done on this field?							
38.c.	Were the light levels on this field tested/inspected in the last two years?	No						
38.d.	What month/year was the light level testing done on this field?							
39.a.	Was the electrical system on this field tested/inspected by a qualified technici...	No						
39.b.	Were the light levels on this field tested/inspected by a qualified technician?	No						
40.a.	Does field have limitation on amount of time for practice?	No						
40.b.	Does field have limitation on number of teams or games?	No						
40.c.	Does field have limitation on scheduling and/or timing?	No						
41.a.	Is this field owned by a municipality?	Yes						
41.b.	Is this field owned by a school?	No						
41.c.	Is this field owned by a league?	No						
42.a.	Municipality is responsible for operational energy costs on this field?	Yes						
42.b.	School is responsible for operational energy costs on this field?	No						
42.c.	League is responsible for operational energy costs on this field?	No						
43.a.	Municipality is responsible for operational maintenance on this field?	No						
43.b.	School is responsible for operational maintenance on this field?	No						
43.c.	League is responsible for operational maintenance on this field?	Yes						
44.a.	Municipality is responsible for improvements on this field?	No						
44.b.	School is responsible for improvements on this field?	No						
44.c.	League is responsible for improvements on this field?	Yes						
44.d.	Other group is responsible for improvements on this field?	No						
45.a.	Is T-ball and Minor League baseball played on this field?	Yes						
45.b.	Is Major division baseball played on this field?	Yes						
45.c.	Is Junior, Senior and Big League baseball played on this field?	No						

[illegible]

This page confirms the completion of the 2017 online Facility Survey

North Andover Little League

League Name

14

District #

221-14-23

League ID #

Submit this page with your hardcopy ASAP plan rather than the completed 2017 Facility Survey